#### INSTRUCTIONS TO D ERS

White Copy —
III Dept of Public Health
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761 DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.



# ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well							
	a Dug Bored Hole Diam. 12 in Depth 113 ft							
	Curb material Buried Slab: YesNo							
	b Driven Drive Pipe Diam in Depth ft							
	c. Drilled X Finished in Drift In Rock X							
	Tubular Gravel Packed							
	d. Grout: (KIND) FROM (Ft.) TO (Ft.)							
	(KIND) FROM (PC) 10 (PC)							
,								
2	Distance to Nearest:							
	Building Ft. Seepage Tile Field							
	Cess Pool Sewer (non Cast iron)							
	Privy Sewer (Cast iron)							
	Septic Tank Barnyard							
	Leaching Pit Manure Pile							
3.	Well furnishes water for human consumption? YesNo_X							
4.	Date well completed 3/29/82							
5.	Permanent Pump Installed? Yes_X Date_5/4/82 No							
	Permanent Pump Installed? Yes X Date 5/4/82 No Manufacturer Red Jacket Type Subm. Location							
	Capacity 15 gpm. Depth of Setting 105 Ft.							
6.	Well Top Segled? YesNoType							
7.	Well Top Sealed? Yes No Type           Pitless Adapter Installed? Yes No							
	Manufacturer Model Number							
	How attached to casing?							
8.	Well Disinfected? YesNo							
	Pump and Equipment Disinfected? YesNo							
10.	Pressure Tank Sizegal. Type NONE							
	Location							
11.	Water Sample Submitted? YesNo							
	MARKS:							

GEO	L <mark>OGICAL AND WATER</mark> METROPOLITAN			RD ;	
10 D . 4	y owner OF GREATER CH			lonitorina	
IU, Propert	s 100 [ Erie St.,	Chicago	veir No. <u></u>		
Driller	GEORGE E. GAFFKE	License	No. 102	-234	
	No. 102806				
	rom <u>Limestone</u>				
	th 70 to 113 ft.		14		
	: Diamin.	Twp.		<del>                                     </del>	
	::ft. Slot				
•		Elev.		<del>                                     </del>	
15. Casing	and Liner Pipe				
Dium (in )	Kind and Weight	From (Ft ) T		UHOW CATION IN	
12	Black Liner	grade	34 BECT	TION PLAT	i hulder
5	Black Steel	grade	82	, , .	
		1 1			
16. Size H	ole below casing: 5	in.(monito	ring well #	1 - lendfill	closure sire
17. Statte	ievel <u>LO</u> II. Delow casi	ind tob murcu	. 13		
	ground level. Pumping lev	rel ft. v	when pumping	g at <u>10-15</u>	
gpm to	r hours.				
18. F	ORMATIONS PASSED THROU	GH	THICKNESS	DEPTH OF	
Garbage		· · · · · · · · · · · · · · · · · · ·	19	19	
Blue Cla	ay		`44	63	
Broken F	Rock & Gravel		7	70	
Limestor	ne		43	113	
<del></del>		· · · · · · · · · · · · · · · · · · ·	<del> </del>	<del> </del>	
<del></del>	<del></del>		┪━┈┈		
				,	
				<del></del>	
		<del></del>	<u> </u>	1	
(CONTINU	E ON SEPARATE SHEET IF	NECESSARY			
SIGNED 4	Threat & D	Seles DA	re 6/14/	182	

White Copy —
III. Dept. of Public Health
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION

GEOLOGICAL AND WATER SURVEYS WELL RECORD

METROPOLITAN SANITARY DIST.

## ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

ì	Type of Well  a. Dug Bored Hole Diam. 12 in. Depth 137tt  Curb material Buried Slab: YesNo  b. Driven Drive Pipe Diamin. Depthft.  c. Drilled _X	10. Property owner OF GREATER CHICAGO Well No. 2 Monitoring Address 100 E. Erie St., Chicago, IL.  Driller GEORGE E. GAFFKE License No. 102-234  11. Permit No. 102807 Date 3/15/82  12. Water from Limestone 13. County Cook  at depth 92 to 137 ft. Sec. 14  14. Screen: Diam. in. Twp. 37N  Length ft. Slot Rge. 14E  Elev.  15. Casing and Liner Pipe	g
		LOCATION IN	
2	Distance to Nearest:	12 Black steel liner grade 30 15 N ST W ST	SWSE NE
	Building Ft. Seepage Tile Field	5 Black steel grade 102	
	Cess Pool Sewer (non Cast iron)	" 2 1 1011	lusure site
1	Privy Sewer (Cast iron)	16. Size Hole below casing: 5 in. (menitoring well # 2 - lancifell e	,
	Septic Tank Barnyard	17. Static levelit. below casing top which isit.	
	Leaching Pit Manure Pile	above ground level. Pumping levelft. when pumping at $+-1$	
<u>ئ</u> .	Well furnishes water for human consumption? YesNo_X	gpm for hours.	
4.	Permanent Pump Installed? Yes Date No _X	18. FORMATIONS PASSED THROUGH THICKNESS DEPTH OF BOTTOM	
J	ManufacturerTypeLocation		
	Capacitygpm. Depth of SettingFt.	Garbage 15 15	
	Well Top Sealed? YesNoType	Blue Clay '77 92	
	Pitless Adapter Installed? YesNo	Limestone 45 137	
	Manufacturer Model Number		
_	How attached to casing?		
	Well Disinfected? YesNo		
	Pump and Equipment Disinfected? YesNo		
	Pressure Tank Sizegal. Type	<del></del>	
	Water Sample Submitted? YesNo		
	MARKS:		
		SIGNED LAGE 6/14/82	

IDPH 4.065 1/74 - KNB-1

#### INSTRUCTIONS TO D' ERS

White Copy —
III Dept of Public Health
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

## ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well							
	a. Dug	Bored	. Hole l	Olam	<u> 12</u> in	Dept	h_12	<u>'9</u> ft
	Curb mater	ial	Burie	d Slab:	Yes_	N	ہا	
	b. Driven	Drive	e Pipe D	iam	in.	Depth		ft
	c. Drilled	<u>X</u> . Fini	shed in I	Drift		In Roc	kX	<u> </u>
	Tubular	Grav	el Packe	d				
	d. Grout:	(KIND)	<del></del>	FROM (	P. \	TO	(Ft )	
		(King					<del>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</del>	
			<del></del>					
						<u> </u>		
2.	Distance to N	earest:						
	Building	Ft	. See	page T	ile Fie	eld		
	Cess Pool			ver (non				
	Privy			ver (Ca:				
	Septic Tank _							
	Leaching Pit			nure Pil				
3.	Well furnishes							
4.	Date well com	pleted3	1/29/82	·				
5.		mp Installed	l? Yes_	X_ Date	5/4/	82	No_	
	Manufacturer_							
	Capacity_15							
6.	Well Top Seal	ed? Yes	No	Тур	e			. —
7.	Well Top Seal Pitless Adapt	er Installed	? Yes_	•••	No_	<u> X</u>		
	Manufacturer_			Mode	l Num	oer		
	How attached	to casing?_						
8.	Well Disinfect	ed? Yes_	!	No				
9.	Pump and Equ	ipment Disi	nfected?	Yes		No		_
10.	Pressure Tanl	k Size	_gal. T	ype	NON	<u>E</u>		
	Location			<u> </u>				
11.	Water Sample	Submitted?	Yes		10			
	MARKS:							

10. Propert Address Driller 11. Permit 12. Water f at dept 14. Screen	GEORGE E. GAFFKE No. 102808	SANITAR' HICAGO , Chicago , Licens Date 13. Com Sec. Twp Rge	/ DIST. Well No. b, IL. e No. 3/15/8	. <u>3</u>	Monitorin	J
15. Casing	and Liner Pipe			<u> </u>		
Diam (in)	Kind and Weight	From (Ft )	To (Ft)	Loc	SHOW CATION IN	
12	Black Steel liner	grade	8032	8RC7	TION PLAT	NEVE SW
5	Black Steel	grade	<b>101</b> 82		, , ,	
above gpm fo	ole below casing: 5 levelft. below casi ground level. Pumping lev r hours.	elft	when pu	mpino		·
18.	ORMATIONS PASSED THROU	GH 	THICE	CNESS	DEPTH OF BOTTOM	
Garbage			17	, 	17	
Blue Cla	пу				69	
Broken F	Rock & Gravel		7	,	76	
Limestone				}	129	
•			1			
				<del></del>		
			$\dashv$		<u> </u>	
(CONTINU	E ON SEPARATE SHEET IF	NÉCESSAR			192	

#### INSTRUCTIONS TO DE

White Copy -III Dept of Public Health Yellow Copy - Well Contractor Blue Copy - Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

GEOLOGICAL AND WATER SURVEYS WELL RECORD METROPOLITAN SANITARY DIST.

### ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1 Type of Well a. Dug Curb mate b. Driven c. Drilled	Bored Horizal Brive Pip Gravel Po	ole Diam 12 in uried Slab: Yes_ be Diamin. in Drift	Depth 120 ft No ft Depth ft In Rock	10. Property owner OF GREATER CHICAGO Well No. 4 Monitoring Address 100 L. Erie St., Chicago, IL.  Driller GEORGE E. GAFFKE License No. 102-234  11. Permit No. XXMXXX 102809 Date 3/15/82  12. Water from Limestone 13. County Cook  at depth 76 to 120 ft. Sec. 14 1.						
d Grout:	(KIND)	PROM (Ft.)	TO (Ft)	Leng 15. Casi	en: Diamin. gth:ft. Slot ing and Liner Pipe	Rge Ele	o. 37N 14E v	SHOW		
		<u> </u>		Diam (in	<del></del>	From (Pt)	1 20	CATION IN TION PLAT		
2. Distance to N	learest:			12	Black Steel liner	grade	175	Were Su	1/2	
	Ft.	Seepage Tile Fie	eld	5	Black Steel	grade		iw nill '	,	
-			iron)			<u> </u>	<u> </u>	41.41.4	100 1	
Septic Tank_ Leaching Pit 3. Well furnishe	s water for human	Sewer (Cast iron Barnyard Manure Pile consumption? Y	)	16. Size Hole below casing: 5 in. Connecting well they and fell close 17. Static levelft. below casing top which isft. above ground level. Pumping levelft. when pumping at dry hole gpm for hours.						
4. Date well cor	npleted <u>4/1</u> ump Installed? Yo	5/82	N - Y	18.	18. FORMATIONS PASSED THROUGH			DEPTH OF BOTTOM		
Manufacturer	T	уре Loca	tionFt.	Garbag	je		18	18		
	led? YesN			( Clay		.58	76			
<ol> <li>Pitless Adap Manufacturer</li> </ol>	ter Installed? Y	es No Model Numl	 ber	Limest			46	120		
How attached	to casing? ted? Yes	No				<del></del>		<del> </del>		
	uipment Disinfect		No	<del></del>				<del> </del>		
<ol><li>Pressure Tar</li></ol>		. Туре	<del></del>	<del></del>						
	Submitted? Ye									
					NUE ON SEPARATE SHEET IS	111		4/82		
IDPH 4.065						•				

1/74 - KNB-1